

Project Name: _____	
Location: _____	
Item #: _____	Qty: _____

Model: ECO35A (water softener version)

ECO35A



Standard Features

- Front loading undercounter glasswasher
- Mechanical Control Buttons
- Clearance 220 mm
- Basket size 350 x 350 mm
- Built-in Water softener version

- 1 washing cycles (2 min)
- Rack/h 30
- Temperature wash 85°C / rinse 60°C
- 0.30 hp wash pump
- Low water consumption 2 liters

- Simple to use
- Wide & clear buttons

- Single insulated panels
- Double insulated door
- Separate washing & rinse
- Interior / exterior INOX 304
- Reinforced door hinges
- Robust structure
- Easy access to service









Optionals and Accessories

- Inox stainless steel wash arms
- Detergent peristaltic pump
- Rinse aid peristaltic pump
- Automatic self cleaning drain pump



CE	WRAS APPROVED PRODUCT	Approvals: _____	Available at: _____
-----------	------------------------------------	------------------	---------------------

ADLER ECO35A (water softener version) INSTALLATION DIAGRAM



TECHNICAL SPECIFICATION

*measures expressed in mm

Model/Modello	ECO35A
Interface Type/Interfaccia	Mechanical
Clearance/Passaggio Utile	220 mm
Cycle/Ciclo	2 min
Rinse Aid Dispenser/Dosatore Brillantante	√
Detergent Dispenser/Dosatore Detergente	•
Drain Pump/Pompa Scarico	•
Thermostop System/Sistema Thermostop	n/a
Soft Start Cycle/Partenza Soft Ciclo	n/a
Temperature Display/Display Temperatura	n/a
Smart Self Diagnostics/Diagnostica Smart	n/a
Built-in Water softener/Addolcitore Incorp.	√
Tank Capacity/Capacità Vasca	9 lt.
Boiler Capacity/Capacità Boiler	3 lt.
Tank Heater/Resistenza Vasca	2 kW
Boiler Heater/Resistenza Boiler	2,4 kW
Power Supply/Alimentazione Elettrica	230V/1N
Washing Pump/Pompa Lavaggio	0,20 kW/0.3hp
Max. Power Rating/Assorbimento Max.	11.5 Amp/2,5 kW
Inlet Pressure/Pressione di Alimentazione	2 ÷ 4 bar
Weight/Peso	30 Kg
Water Consumption/Consumo Acqua	2 lt./cycle **
Standard Equipment/Dotazione Standard	1 Rack (Universal) 1 Cutlery Cont.
Hour Production/Produzione Oraria	30 racks/h * 750 glasses/h *

- ① ELECTRICAL CONNECTION
- ② WATER CONNECTION
- ③ WATER DRAIN



* 55°C inlet water temp. √ included/incluso n/a not available
 ** 2 bars inlet water pressure. • optional